

Tripp Lite 1111 West 35th Street Chicago, IL 60609 USA Telephone: +(773) 869 1234 E-mail: saleshelp@tripplite.com

Model #: S366-010

SCSI/Fibre Channel - 10-ft. SCSI Cable HD50M to HD50M Double Shielded



Highlights

- Premium double-shielded cable
- 25 twisted-pair conductors

Description

Multi-platform SCSI II external peripheral cable HD50M/M. This 10ft cable is designed to connect two SCSI II (fast SCSI) devices together. Manufactured using double shielded 25 twisted pair high impedance cable. Constructed with low-capacitance, impedance matched, 28 AWG, stranded, tinned copper cable with insulated in polypropylene. Tripp Lite warrants this product to be free from defects in materials and workmanship for life.

System Requirements

• Any external SCSI II device or controller card requiring HD50 interface

Package Includes

• 10-ft. SCSI cable HD50M to HD50M double shielded

Features

- Backwards compatibility with previous SCSI generations
- Double shielded (foil and braid)
- 25 twisted pair conductors
- Low-capacitance impedance matched 28 AWG stranded tinned copper insulated in polypropylene
- All Tripp Lite SCSI products, regardless of the SCSI generation, meet the latest specifications of ANSI
- Tripp Lite offers a complete line of internal and external solutions for SCSI/RAID and fibre channel ranging from the very latest Ultra 320 to legacy SCSI-1 and every combination in between
- Tripp Lite warrants this product to be free from defects in materials and workmanship for life

Specifications

OVERVIEW	
Intended Application	Connecting Drives
Cable Type	SCSI
INPUT	

Cable Length (ft.)	10			
UPC Codes				
Unit Carton UPC#	037332014092			
PHYSICAL				
Color	Beige			
Style	SCSI			
CONNECTIONS				
Connector A	H (MALE)			
Connector B	H ((MALE)			
WARRANTY				
Product Warranty Period (Worldwide)	Lifetime limited warranty			

Related Items

Optional Products

Related Model	Description	Qty.
S122-000	External Active SCSI Single-end Terminator (HD50 M)	1

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?variables.txtModelID=2390.

Copyright © 2013 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.